

# Custom Scoliosis

## Kyphosis Orthometry Form



### PATIENT INFORMATION

ID / Name \_\_\_\_\_  
 M  F Height \_\_\_\_\_ Weight \_\_\_\_\_  
 Age \_\_\_\_\_ Diagnosis \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### CUSTOMER INFORMATION

Date \_\_\_\_\_ Date Req'd \_\_\_\_\_ PO# \_\_\_\_\_  
 Company \_\_\_\_\_  
 Ship To \_\_\_\_\_  
 Contact \_\_\_\_\_ Phone \_\_\_\_\_  
 Ship Via \_\_\_\_\_ On \_\_\_\_\_ Fax \_\_\_\_\_

### Order #

#### Scoliosis Design

- Low Profile TLSO
  - Anterior Open  Posterior Open
- Milwaukee
- Wilmington
- Dynamic
- Other \_\_\_\_\_

#### Kyphosis Design

- Low Profile TLSO
  - T-bar / Sternal
  - High Profile
  - Aluminum Para-Spinal Bars
- Milwaukee

#### MATERIALS

- Co-Poly Finished Thickness
  - 1/8"  5/32"  3/16"
- MPE  1/8"  3/16"  1/4"
- LDPE Aliplast Liner
  - 1/8"  3/16"  1/4"
  - No Liner

#### MILWAUKEE SUPER STRUCTURE


- Neck Ring
  - High Profile
  - Low Profile
- Kyphosis Pads
  - Attached to Posterior
  - Uprights
  - Floating w/ Outrigger

Please Indicate

- Special Trimlines
- Pad Placement
- Window Cut-Out

#### CORRECTIVE PADS

- Lumbar L R
  - Dynamic
- Thoracic L R
  - Dynamic
- Axilla  Axillary Sling
- Trochanter
- Apply per X-Rays
- Send Pads
- Waist Pads



- Finished  Unfinished
- Thoracic Window  Yes  No

Transfer Pattern \_\_\_\_\_

Notes \_\_\_\_\_

**Note: X-Rays must be supplied for all scoliosis requiring correction**

IMPORTANT: If finished measurements are not supplied your orthosis will be trimmed to the anatomical measurements

Lordosis \_\_\_\_\_

Measurements below are:

- Anatomical
- Finished Trim

