


Standard SOLID ANKLE AFO



Patient ID: _____ PO#: _____ Bilateral Right Left

Facility: _____ Practitioner: _____ Email: _____

Ship To: _____ Phone#: _____


MODIFICATION

Specify finished mold alignments
Flexion, Hind foot & Fore foot


Left Ankle Flexion: _____

Right Ankle Flexion: _____


Hindfoot Alignment




Forefoot Alignment *



LEFT Fore Foot Trim:



RIGHT Fore Foot Trim:



Modification Special Instructions:

Patient Diagnosis:

THERMOFORMING/GRIND & BUFF

POSTERIOR Shell: Plastic Type: _____ Plastic Thickness: _____ Transfer on Plastic: _____

LINER & PADDING Location: _____ Thickness: _____ Type: _____

_____ Plastic Type: _____ Plastic Thickness: _____

LINER Thickness: _____ Type: _____

SPECIAL TRIMS

FINISHED HEIGHT

Posterior Finished height = _____

FOOT LENGTH

Finished foot length = _____

REINFORCEMENTS

EXTERNAL POSTING

TREADING

Thermoforming Special Instructions:

Grind & Buff Special Instructions:

* Note: Pronation or Supination alignments will be externally posted to neutral

Strapping Special Instructions:

STRAPPING

STRAP COLOR

Transfer on Straps: _____