

Date \_\_\_\_\_

# FUZION® AFO



**PATIENT INFO (PHI)**

Last Name / ID \_\_\_\_\_ First Name \_\_\_\_\_

Gender \_\_\_\_\_

Male \_\_\_\_\_ Female \_\_\_\_\_

Age \_\_\_\_\_ Height \_\_\_\_\_ Weight \_\_\_\_\_

Diagnosis \_\_\_\_\_

Remarks \_\_\_\_\_

**SHIPPING INFORMATION**

Practitioner \_\_\_\_\_ Phone/Fax \_\_\_\_\_

Facility \_\_\_\_\_ PO Number \_\_\_\_\_

Ship to Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Shipping Company \_\_\_\_\_ Service \_\_\_\_\_

UPS \_\_\_\_\_ Ground \_\_\_\_\_

FedEx \_\_\_\_\_ 2 Day Air \_\_\_\_\_

Other: \_\_\_\_\_ Overnight \_\_\_\_\_

Need by \_\_\_\_\_

Bill to Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Shape Acquisition Via:  Cast  Scan | Affected Side:  Left  Right  Bilateral

### Inner Liner Color

**ALIGNMENT** MUST BE COMPLETED TO PREVENT DELAY OF ORDER

**Ankle Alignment** (Dorsiflexion - Plantarflexion)

Correct to \_\_\_\_\_ degrees  Do not correct (Cast alignment OK)

**Hindfoot Alignment**

Correct to \_\_\_\_\_ degrees  Do not correct (Cast alignment OK)

**Forefoot Alignment**

Circle drawing below to indicate finished forefoot alignment

Right Pronation    Right Supination    Right Neutral    Left Neutral    Left Supination    Left Pronation

\_\_\_\_\_ Include met height to floor in inches \_\_\_\_\_

Full Length Tongue

### Straps

- Add Toe Strap\*
- Dacron Reinforced Straps\*

### Strap Color

- White Default
- Color or Transfer: \_\_\_\_\_

\*Additional charges apply


### Outer Foam Skin Color

- Black
- White

### External Posting

- No External Posting Default
- Heel Posting\*
- Heel & Midfoot Posting\*
- Entire External Posting\*
- Forefoot posting to balance any Supination or Pronation\*
- Non Skid Bottom\*

### Measurements



**DORSAL EXTENSION** -to control forefoot

No extension  Extend medial  Extend lateral  Extend both

### Standard Trim Plastic Options

- Heat Adjustable Default
- ProFlex®\*
- Copolymer
- PolyPro®

### Low Profile Trim Polypropylene Options

- Semi-rigid Carbon Composite Posterior Strut\*
- Rigid Carbon Composite Posterior Strut\*

**If no measurements are provided, fabrication will be anatomical to mold.**

### Standard trim

### Low profile trim

